


farasan

8050.01 - 8050.16



binder

curtain 01

description

contrast-rich multicolour

composition

100% flame retardant polyester

width

± 310 cm, ± 122 inches

weight

± 772 gr/m¹, ± 25 oz/yd¹ fabrics

flame retardancy

EN 13773, class 1

BS 5867-2, type C

NF P 92/503-507, M1

DIN 4102, B1

UNI VF 8456-8457, classe 1

NFPA 701:2010-1

IMO 2010 FTP part 7

CAN ULC S109

colorfastness to crocking

ISO 105-X12

wet 4-5 / dry 4-5 (scale 1-5)

AATCC 8

wet 5 / dry 5 (scale 1-5)

colorfastness to light

ISO 105-B02

6 (scale 1-8)

AATCC 16.3: 60 hrs

4 (scale 1-5)

seam slippage

ISO 13936-2

warp 3.5 mm / weft 2 mm

ASTM D434

warp 34 lbs / weft 15 lbs

care



shrinkage: warp -0.8% / weft -0.9%




shrinkage: warp -1.2% / weft -1.6%




farasan

8050.01 - 8050.16




8050.01




8050.02




8050.03



8050.04



8050.05



8050.06



8050.07



8050.08




8050.09




8050.10



8050.11



8050.12



8050.13



8050.14



8050.15



8050.16