


# syros

8047.01 - 8047.10



binder

**curtain 02**

description

**curtain fabric with a raised woven geometric pattern**

composition

**100% flame retardant polyester**

width

**± 133 cm, ± 52 inches**

weight

**± 350 gr/m<sup>1</sup>, ± 11 oz/yd<sup>1</sup> fabrics**

pattern repeat

**height: 6.7 cm / 2.6 inches**

**width: 8.2 cm / 3.2 inches**

flame retardancy

**EN 13773, class 1**

**BS 5867 - 2, type C**

**NF P 92 / 503 - 507, M1**

**DIN 4102, B1**

**UNI VF 8456 - 8457, classe 1**

**NFPA 701:2010 -1**

**CAN ULC S109**

colorfastness to crocking

**ISO 105 X12**

wet 4-5 / dry 4-5 (scale 1-5)

**AATCC 8**

wet 5 / dry 5 (scale 1-5)

colorfastness to light

**ISO 105 B02**

6-7 (scale 1-8)

**AATCC 16.3: 60 hours**

4-5 (scale 1-8)

seam slippage

**ISO 13936 - 2**

warp 3.3 mm / weft 3.6 mm

**ASTM D434: D3597**

warp 44 lbs / weft 70 lbs

care



**shrinkage: warp 0.7% / weft 0.7%**



**shrinkage: warp 1% / weft 1%**




# syros

8047.01 - 8047.10


---




8047.06



8047.04



8047.01




8047.02




8047.03



8047.05



8047.10



8047.09



8047.08



8047.07